PCT

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification [6] : **C12Q 1/68, G06F 19/00**	**A1**	(11) International Publication Number: **WO 98/06872** (43) International Publication Date: 19 February 1998 (19.02.98)

(21) International Application Number: PCT/IB97/00976

(22) International Filing Date: 7 August 1997 (07.08.97)

(30) Priority Data:
08/696,497   14 August 1996 (14.08.96)   US

(71) Applicant *(for all designated States except US)*: BELTRONICS INC. [US/US]; 199 Wells Avenue, Newton, MA 02159 (US).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: VIJG, Jan [NL/US]; 43 Ruane Road, Newton, MA 02159 (US). BISHOP, Robert [US/US]; 86 Deborah Road, Newton, MA 02159 (US).

(74) Agent: RINES, Robert, H.; MacLeod & Co., Bledington Grounds, Bledington, Gloucestershire OX7 6XL (GB).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: METHOD OF COMPUTER-AIDED AUTOMATED DIAGNOSTIC DNA TEST DESIGN

(57) Abstract

The invention encompasses a semi-automatic and/or automatic computer-aided technique for designing comprehensive DNA diagnostic tests for mutations in disease genes through searching for optimized conditions for PCR amplification and for optimal melting behavior in denaturing gradient gels and for optimal distribution in two-dimensional electrophoresis display of the mutational target fragments.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

METHOD OF COMPUTER-AIDED AUTOMATED DIAGNOSTIC DNA TEST DESIGN

The present invention relates to techniques for designing comprehensive DNA diagnostic tests for mutations in disease genes; being more particularly directed to computer-aided searching for optimized predicted conditions for Polymerase Chain Reaction (PCR) amplification, including multiplex PCR amplification, optimal melting behavior in denaturing gradient gels and optimal distribution by two-dimensional electrophoresis of the mutational target fragments, thereby to provide an overall design for actual diagnostic tests.

BACKGROUND OF THE INVENTION

As is well-known, a strand of DNA is comprised of four different nucleotides, as determined by their bases: Adenine, Thymine, Cytosine and Guanine, respectively designated A, T, C, G. For each strand of DNA, there is a homologous strand in which A pairs with T, and C pairs with G. A specific sequence of bases which codes for a protein is referred to as a gene, and that gene is segmented into regions which are responsible for protein compositions (exons) and regions which do not contribute to protein composition (introns). An exon can vary in length from about 30 basepairs to thousands of basepairs (bp). For purposes of the present invention, however, primary concern resides with the coding regions of the gene(exons), though the test procedures of the invention can be easily appropriately modified, where desired, to screen for carcinogenic mutations in the introns, also, and for other purposes as well.

DNA diagnostic testing of genes with mutational defects is important for ascertaining information with regard to individual susceptibility to particular diseases,

classification of the disease in a therapeutically relevant sub-group, the carriership (and

potential transfer) or prenatal presence of birth defects, and other important purposes.

The gold standard in DNA diagnostic testing for the presence of mutations is DNA

sequencing, which involves the complete decoding of the gene. This, however, is time-

consuming and inefficient. Time-consuming because despite numerous ongoing attempts

to simplify and greatly accelerate the process, all currently used routine sequencing

systems are still based on the principle originally developed by Sanger and colleagues (as

described, for example, in Molecular Pathology, Heim and Silverman, 1990, pages 7-10),

and only partially automated. They are inefficient because, instead of simply determining

differences between entire DNA fragments, every DNA fragment must be completely

decoded before any differences from normal (mutations) are revealed. The fact that the

exact location of a disease-causing mutation can be different from one individual to the

next, moreover, precludes the possibility of only testing for frequently occurring known

mutations. Indeed, the many different mutations that may convert a healthy gene into a

diseased gene makes it necessary in each case to inspect the entire gene at all possible

positions for mutations (termed gene scanning) rather than for only a few frequently

occurring ones (mutation screening). Mutation screening methods are relatively simple

and cost-efficient. Outside DNA sequencing, potential gene scanning systems are scarce

and their cost-efficiency is questionable.

Recently, a method was disclosed by one of the applicants of the present patent

application for comparative scanning of 100-600 basepairs (bp) gene fragments by

multiplex PCR amplification followed by two-dimensional electrophoretic separation in

polyacrylamide gels on the basis of both size and basepair sequence; "Multiplex Co-amplification of 24 Retinoblastoma Gene Exons After Pre-amplification By Long-Distance PCR," Jan Vijg and Daizong Li, Nucleic Acids Research, 1996, Vol. 24, No. 1, p. 538-9; "Two-Dimensional DNA Typing", Jan Vijg, Molecular Biotechnology, pages 275, on, Vol. 4, 1995; and in copending US patent application Serial No. 08/471,249, filed June 6, 1995 for Method Of And Apparatus For Diagnostic DNA Testing. The latter can be accomplished by denaturing gradient gel electrophoresis (DGGE). This multiplexing technique for analyzing predetermined gene exons derived from DNA, involves adding primer pairs surrounding successive groups of the gene exons followed by effecting long-distance PCR amplifications thereof in a common tube or vessel (multiplex long-PCR) to achieve relatively long resulting amplicons; adding further primer pairs surrounding each of the gene exons or parts thereof, and then effecting multiplex PCR amplifications thereof in the common tube or vessel with relatively short resulting amplicons; and electrophoretically separating the gene fragments. By size separation, mutations representing deletions or insertions varying from several to many basepairs can be detected. In DGGE, point mutations, such as basepair substitutions are also detectable. This is due to the tendency of double-stranded DNA fragments to melt at a point in the gradient where the temperature equals the melting temperature of the lowest-melting domain of the fragment.

In the process of PCR amplification, the mutational target fragments (e.g., gene exons) are surrounded by primers, i.e., short (about 20 base pairs) single-stranded DNA fragments. Primers are chosen in such a way that they are complementary (bind to)

positions at the left and right boundaries or ends of the target fragments. By using

appropriate enzymes that extend each primer inwards, towards each other, the mutational

target can be copied. This can be repeated a great number of times in a so-called

thermocycler -- a machine that first heats up the DNA sample, thereby separating the

single strands followed by cooling down, which results in annealing of the primers to their

target sequences, and the subsequent enzymatic extensions of the primers by polymerase

enzymes. The net result is an amplification of the fragment in between the primers of

typically one million times. This provides enough target DNA to detect the fragment by

using a DNA-binding dye, after electrophoretic separation, without the use of radioactive

tracers; the rest of the DNA being now a relatively small amount and invisible.

The positioning of the primers is critical because, for such short sequences, there is

ample opportunity to bind elsewhere in the complex DNA molecules that form the starting

material of the test. This would lead to the copying of other fragments than the ones of

interest. Positioning of primers is even more critical in denaturing gradient gel

electrophoresis, where each fragment must have an optimal melting temperature in order

to allow all possible mutations to be detected. It is common practice to couple one of the

two primers surrounding a gene target fragment to a GC-rich clamp sequence of about 30

basespairs long. This clamp is very stable and functions as the highest melting domain;

that is, the part of the DNA molecule that keeps the fragment together. This is important

because once a fragment migrates off the gel it can no longer be detected. In PCR-DGGE

it is just as important, furthermore, that the target fragment consists of one single domain

(flat throughout the gene fragment) that has a lower stability than the GC-clamp. In that

case, it will melt earlier than the clamp, resulting in a structure that is partially double-stranded (the clamp) and partially single-stranded (the target fragment): a so-called branched structure. Such a fragment will be greatly retarded in the gel. Typically, the exact position where such a fragment melts (and thus halts its migration) is completely dependent on its sequence. With a fragment of, say, 500 basepairs, one single basepair difference will lead to a migrational difference that can be employed by detecting mutations in such fragments as a migrational difference with a control (wildtype) fragment. Hence, in contrast to DNA sequencing, DGGE does allow comparative scanning of whole fragments for mutational differences without the need to completely decode each molecue.

To carry out DGGE in two dimensions (2-D) rather than in one, increases the efficiency of the system as well as its reliability. Indeed, in a 2-D gel, many more fragments can be analyzed simultaneously than by a 1-D separation. It is more reliable because every fragment can be defined by both its melting temperature and its size. A disadvantage, however, resides in its increased complexity, requiring extreme attention to the design of the test. Since the design of a DGGE test itself is not trivial (primers must be chosen in a way that the amplified fragments represent a single domain, as before discussed), the 2-D principle adds a dimension in complexity as well as in resolution. A typical design of PCR primers, moreover, must take into consideration many other variables inherent to the PCR process, such as primer annealing temperatures.

As disclosed in the above-cited Vijg papers and the said patent application, the two-step PCR process enables many different exons to be amplified simultaneously in the

same reaction. In this method, first, groups of target fragments (e.g., groups of exons) are amplified as large 5-40kb amplicons, for example, by long-distance PCR (an improved form of PCR in which more efficient polymerase enzymes are employed that generate longer fragments). Second, with these amplicons as templates, large numbers of individual target sequences can now be amplified simultaneously in the same reaction vessel under a single set of experimental conditions. Normally it is very difficult to find one set of reaction conditions under which multiple fragments specified by multiple primer pairs are amplified simultaneously (i.e., multiplex PCR). Probably because the pre-amplification by long-distance PCR increases the amount of target sequences relative to the rest of the complex genomic DNA, flexibility with respect to the subsequent PCR amplification of the target sequences is much greater than normal, which permits extensive multiplexing; i.e., co-amplification of different target fragments in the same reaction.

This method of extensive multiplexing greatly economized the process of template preparation in genetic testing over earlier techniques for inspecting for mutations after PCR amplifying the many distributed exons of the often very large disease genes. As an example, it is now possible, to generate a collection of as many as 25 fragments corresponding to 26 exons of the tumor suppresser gene RB1 in one single two-step PCR reaction. After the two-step multiplex PCR amplification, a single 2-dimensional electrophoretic separation, as the third step, is sufficient to resolve all these fragments and detect all possible mutations as variations in fragment spot position. With this system, a genetic testing method has become available that is both highly accurate (in detecting all possible mutations) and cost-efficient.

The only remaining drawback involves the absence of a rapid design of an optimal test for one or more individual genes involved in a particular disease. The human genome, indeed, contains an estimated number of 100,000 different genes, many of which might ultimately prove to be involved in one or more diseases. To design a set of PCR primers for many different genes and/or gene combinations that fulfill criteria for optimal (multiplex) PCR, optimal denaturing gradient electrophoretic separation and 2-D distribution is not trivial. As shown in later-described Fig. 1, the computer-assisted test design of the invention must provide, for an optimal 2-D genetic test for one or multiple genes with predicted primer and GC-clamp respective positions and lengths for meeting optimal melting criteria, PCR criteria and 2-D spot distribution criteria.

The present invention is directed to solving this problem and, through a computer-assisted procedure, to semi-automatically and/or automatically design multiplex PCR/2-D electrophoretic tests for one or more genes.

OBJECTS OF INVENTION

An object of the invention, accordingly, is to provide a new and improved method of and apparatus for computer-aided rapid design of a genetic test based on multiplex PCR amplification of the target sequences, followed by electrophoretic separation of the fragment mixture in two dimensions: size and basepair sequence.

A further object is to provide for superior performance of multiplex PCR/2-D electrophoresis tests through the heretofore unavailable rapidity in computer software-aided selecting of optimal sets of conditions among the large number of possibilities available.

Other and further objects will be described hereinafter and are more particularly delineated in the appended claims.

DESCRIPTION OF THE DRAWINGS

The invention will now be described in connection with the accompanying drawings in which:

Fig. 1, as earlier mentioned, is a block diagram of the underlying computer-assisted system for optimal 2-D genetic test design for one or multiple genes;

Fig. 2 represents experimentally electrophoretically obtained mutation displays of exemplary 1-D and 2-D DGGE tests on illustrative BRCA-1 gene fragments;

Figs. 3, 4 and 5 are melting graphs (melting temperature vs. basepair offset) respectively of unacceptable multiple domain and acceptable left and right end GC-clamped single domain profiles, taken for an exemplary retinoblastoma gene RB Exon 21, Fragment #1;

Figs. 6A and 6B present flow diagrams of the present-day sequence of process steps required for determining appropriate primers and GC clamps for electrophoretic testing of designated gene fragments;

Figs. 7A and 7B are similar flow charts of the steps involved in semi-automatically, with operator assist, rapidly designing appropriate test primers, GC clamps and melting profiles and providing simulated electrophoretic gene separation displays in accordance with the computer-aided software techniques of the present invention;

Figs. 8A and 8B are flow charts similar to Figs. 6A and 6B for full automation;

Fig. 9 shows a preferred computer display screen with the various monitoring and display icons, boxes or windows and options available to the investigator;.

Fig. 10 shows this screen with inputs for a particular desired gene--in this illustration, P53 involved in colon and other cancers, assuming no prior knowledge of appropriate primers, temperature gradients, etc.:

Figs. 11A and 11B are similar views with different test values of primers, GC clamp, etc. producing unsatisfactory (simulated) melting profiles with multiple domains, Fig. 11A with the clamp located on the right, and Fig. 11B, on the left:

Fig. 12 shows a satisfactory melting profile for corrected test values of primer, GC clamp, etc., with Figs. 11A, 11B and 12 showing variation of predicted melting curves of exons of the gene obtained with only slight variations in the positioning of one or more of PCR primers, lengths of primers and GC-clamp, type of GC-clamp, and length of the fragment, which serves to illustrate the real and qualitative features of the invention with respect to the final test design, and with Fig. 12 containing an additional column read-out of temperatures to the right of the graph;

Fig. 13 illustrates displays of sequences with melting temperature;

Fig. 14 shows a predicted 2-D display that the design of the invention will enable to be produced in actual 2-D electrophoresis operation in accordance with the design; and

Fig. 15 is a time graph for test design for gene RB1 comparing the prior manual procedures with those of the invention.

SUMMARY OF THE INVENTION

In summary, the invention embraces a method of computer-aided genetic test design that involves capture of a gene sequence file, e.g., from Genbank; indicating the start and ends of desired target sequences; generating optimal melting profiles, PCR conditions and 2-D distributions by varying (1) fragment size (gap-size), (2) GC-clamp, and (3) primer size; and reporting the selected optimal primer sets for being synthesized.

From a more detailed viewpoint, the invention embraces a computer-assisted method for generating the design of optimized and comprehensive genetic DNA diagnostic tests based on PCR/2-D electrophoresis for screening mutations in genes, that comprises, inputting a computer microprocessor with a desired gene exon fragment ATGC letter sequence; programming and controlling the microprocessor first to select a trial start and end of the sequence; then, selecting and positioning trial primer letter pairs to define the opposite boundaries of the exons to be tested; adding a trial GC clamp to at least one primer; generating trial melting profiles for the trial primers and GC clamp to determine whether the profile consists of a relatively high-melting GC clamp peak and a substantially single flat domain of relatively low-melting value for the fragments; in the event that the trial profile has multiple and not a satisfactory single flat domain, changing one or both of other trial primer sequences and GC clamp sizes and generating said profiles therefrom until such a satisfactory single flat domain is attained, and for primers of each pair having substantially similar annealing temperatures suitable for PCR annealing; comparing the primer letter sequence with other known gene sequences in the context of the total letter sequence of the gene exon to insure the uniqueness of the sequences and to

avoid overlap with any other than the selected gene fragment; simulating a 2-D

distribution of the fragments defined by the primer pairs by separation along one

dimension by size and along an orthogonal dimension by melting temperature of the

fragment; selecting a gradient of increasing melting temperatures along the orthogonal

dimension to allow an optimal spread of the fragments therealong; and reporting the

selected primer sets and temperature gradient, thereby providing an optimal design for an

actual PCR/2-D electrophoresis test.

Preferred and best mode designs and details are hereinafter fully described.

DESCRIPTION OF PREFERRED EMBODIMENTS

The present invention, as before stated, involves a procedure for the semi-

automated and/or automated computer-aided design of optimized genetic screening tests

based on PCR/2-D electrophoresis, and preferably multiplex PCR/2-D electrophoresis.

Brief Summary Of Preferred Diagnostic Procedural Techniques

In accordance with the procedures useful also with the computer-assisted semi-

automated and automatic features of the invention, two DNA fragments of, for example,

11-50kb are constructed which are homologous to an 18 to 25 base sequence in the

intronic sequence both preceding and following an exon; the leading and trailing primers.

Because many mutations occur in the transition from intron to exon, these priming sites,

as before explained, are separated from the exon by a gap of at least, say, 10 base pairs,

and usually not more than about 40 base pairs. For each "multiplex" test herein

described, optimal primers for all of the fragments would have comparable annealing

temperatures, as previously noted. If the primers all anneal within a few degrees

centigrade of one another, each fragment should be equally amplified in the multiplex PCR.

Once primers are selected, the exon is amplified from template DNA by PCR. The DNA sequence which is amplified was earlier referred to as a PCR fragment or an amplicon, including the exon, the primer sequences, the intronic gaps between the exon and primer sequences, as well as usually a 30-60 base pair GC clamp, for example, which will be discussed later in reference to the computer software programming of the present invention. With such operation, the PCR fragment is at least about 86 base pairs longer than the exon itself. Following a successful multiplex PCR, millions of copies of the desired fragments exist. These can be viewed on a gel following electrophoresis on both size and denaturing gradient gels; it being important that each amplicon has its own unique spot on the 2-Dimensional mapping. In other words, the fragment should have a size and melting temperature unique to all other fragments included in the same test. The computer software of the invention, accordingly, is designed, as later detailed, to enable the user more readily to attain a test in which these criteria are optimally met.

With regard generally to the software design for achieving the purposes of the invention, an optimal test design would insure that each fragment would have a different size as well as a different Tm or melting temperature. Using the later-described program, the fragment length can be varied by adjusting the length of the primer and by adjusting the position of the primer. Primer length for short PCR, as before described, generally ranges from about 18-25 bases pairs; and primer position is usually between about 10 and

30 base pairs from the beginning and end of the exon. This is also described as the before-mentioned gap of, say, 10-30bp.

To determine the Tm of the fragment, the computer uses the Lerman Program (described, for example, in "Computational Simulation of DNA Melting and Its Application to Denaturing gradient gel Electrophoresis," Leonard S. Lerman and Silverstein, Methods In Enzymology, pages 482-501, Vol. 155, 1987), which will produce a theoretical Tm for a fragment. %UF (urea-formamide) is a chemical gradient from which the actual melting temperature Tm in degrees C can be determined. Tm, moreover, is completely dependent upon base sequence. An A-T bond is less stable than a C-G bond. If a fragment has a high C-G content, therefore, it will melt lower in the gel (high Tm). Likewise, a fragment with a high A-T content will have a lower melting temperature and will melt sooner (lower %UF) in the gel. Because the bases have an effect on neighboring bases, a single mutation, called a point mutation, can alter the To of the entire fragment enough that it can be detected by denaturing gradient gel electrophoresis. For example, a point mutation in which a single T is changed to a G, is enough to change the melting temperature of the entire fragment from, for example, say 56% UF to 58% UF. If an A or a T changes to a C or a G, the mutant will have a higher Tm than the later-described healthy wild-type, due to the increased stability of the C-G bond. By similar reasoning, if a C or a G is mutated to an A or a T, the mutant will melt at a lower %UF to To.

At the end of the PCR, a special cycle is introduced in which the DNA is denatured and then allowed to bond with a complementary strand. Because every individual

14

possesses two double stranded alleles or copies of the same gene, one from the mother and one from the father, four combinations of alleles can occur during this cycle. If a mutation is present in one of the alleles, it is referred to as the mutant strand. The four possible combinations would then be wild-type with wild-type, mutant with mutant, (these two are referred to as homoduplexes) and wild-type with mutant and mutant with wild - type (referred to as heteroduplexes).

Using the terminology mother (M) for the maternal allele and father (F) for the paternal allele, the four strands can be called MM and FF for the homoduplexes, and MF and FM for the heteroduplexes. When a mutation is present, the heteroduplexes will be notably less stable than either of the homoduplexes. If, for example, a point mutation from a T to a G has occurred, as above described, in the heteroduplex strands, there will be a destabilizing mismatch of A with C and T with G. The mismatch will cause the heteroduplexes to become far less stable than either of the homoduplexes. The presence of a mutant allele will accordingly produce four spots in a 2-D pattern. The mutant and wild-type homoduplexes are separated due to the nature of the mutation, and the two heteroduplexes will melt considerably higher in the gel due to their destabilizing mismatch. In the above example of a T to G point mutation, the wildtype homoduplex will melt at say, the before-mentioned 56% UF, the mutant homoduplex will melt at 58% UF, and the two heteroduplexes will melt considerably above, but at melting points different from each other.

Thus, in the example of a BRCA-1 mutation/heteroduplex shown in Fig. 2, two control samples with the same polymorphism and a sample with a 1-bp insertion mutation

detected by 1-D DGGE (photographs A to the left) and by 2-D DGGE (photographs B to the right) illustrate how mutations are revealed in the system by the appearance of four bands and spots, respectively, instead of one, and also show how the mutations or polymorphisms can be clearly distinguished from one another.

In accordance with the present invention, the computer helps determine a test in which each fragment produces a distinct spot on the 2-D pattern in which a heteroduplex at that position can be easily detected.

The earlier mentioned Lerman's Program ("Melt 87") calculates the melting temperature of each base pair. Then a program "SlideWrite" (described in the Advanced Graphics Software, Inc. Manual "SlideWrite® Plus for Windows™," 1994) is used to construct a melting graph in which the different melting domains of the fragment can easily be viewed. The generation of a CG clamp at one end of the fragment can influence the remainder of the strand to act as a single melting domain. Without such clamp, there are generally varying or multiple levels or domains for the fragment (Fig. 3). In the gel, a fragment with a GC clamp-induced single melting domain will melt, but the GC clamp itself, which melts considerably higher, will remain intact, as shown by the left-hand spike or peak in Fig. 4. Without a GC clamp, the fragment will simply split into two single strands and run off the gel. With the intact GC clamp, one strand enters a pore in the gel and the other enters another pore in the gel, and the intact GC clamp inhibits the fragment from moving any further in the gel. On the computer, a GC clamp of, for example, 30, 35 or 38bp can be selected. The user can also choose to which primer the clamp should be added; Fig. 5 showing the clamp spike or peak to the right. The optimal melting pattern

for a given fragment is arrived at through trial and error by selecting different primer

lengths and positions and then trying different types and positions of GC clamp.

Operation Before The Present Invention

Before the present invention, the user would enter the DNA sequence. Then

Lerman's program would begin asking questions. After the user had answered all the

questions, the computer would calculate the melting temperature. After the melting

temperature was arrived at, the outcome had to be transferred to another program which

would construct a melting map of the fragment. If the fragment was not optimal, the user

would return to the Lerman Program and alter the primer position/length manually, and

determine where they had been placed on the first run. Once the user had achieved

adequate melting maps for each of the fragments, a 2-D pattern could be constructed. If

each spot did not have a unique position on the 2-D pattern, the user would have to start

all over with whichever fragments overlapped.

Using this system, it took about four weeks to design a test for RB1, though still

sub-optimal. With the program of the invention, a more optimal test was designed in

about four hours. For more genes participating in the same test, design problems using

MELT 87 became increasingly severe. The point comes at about 30 fragments when it is

no longer possible to design manually according to the Lerman program.

Fig. 15 plots the time in hours as a function of number of fragments for test design

for RB1 of prior techniques and those of the invention.

Curve A depicts data taken during the construction of the two-dimensional DGGE

test for RB1 with fully manual software. 160 man hours were necessary to design a test

which could adequately test the 27 exons of the retinoblastoma gene. Manual test design has an empirically determined capacity limit of about 40 fragments. Curve B, on the other hand, exhibits the drastic improvement in both time efficiency and test capacity experiences with semi-automated test design of the invention. With such semi-automated test design, the 27 exon RB1 test was redesigned in approximately two and a half hours. Curve C, furthermore, predicts the exponential improvement fully automated test design software of the invention can have on the construction of two-dimensional multiplex tests, extending the capacity of two-dimensional multiplex gene testing even to the theoretical resolution limit of 2200 fragments on a 15 cm x 15cm denaturing gradient gel.

The program of the invention, furthermore, is able to calculate the Tm or annealing temperatures of the primers which also greatly facilitates the development of a megaplex PCR. In the past, the user had to consult yet another program for this information. Lastly, the program herein also searches the gene sequence to insure that each primer sequence is unique so that only the desired PCR fragment will be amplified. For this purpose, only the long-PCR fragments have to be searched through. Before this feature, the user would have to conduct a time-consuming blast search on the Internet in order to insure the uniqueness of the primers.

A typical series of these earlier time-consuming steps for finding appropriate primers, GC clamps, etc., and melting profiles, is presented in the Flow Charts of Figs. 6A and 6B in connection with the illustrative case of retinoblastoma genes (RBG), selected as at 1, Fig. 6A. After finding the number of exons and starting with the first (2), the beginning and end locations of the exon are sought (3). If the number of base pairs is not

18

greater than, for example, 500 letters (ATGC), the exon string is increased by at least, for example, 18 on each end, to create primers (5); but if there are more than 500 basepairs, they are broken up into smaller sections, with overlap as at (4). GC clamp sequences are added on the header and trailer (6) with stripping and reordering to leave 6 groups of separated ATCG sequences, and with a new exon file. Melting profiles are then run six times, three with three types of GC clamps on the leading primer and three on the trailing primer, at (7); and then corresponding graph profiles are generated at (8), Fig. 6B, such as are shown in Figs. 4 and 5. If the melting profile for those primer sequences produces a satisfactory flat single domain at (9), as in Figs. 4 and 5, using a search of the world wide web (www), uniqueness is determined at (10). If an unsatisfactory multiple or other unsatisfactory domain profile is obtained, however, as in Fig. 3, the primer sequence length and/or GC clamp size (or an added GC clamp) are varied, or the splitting of the exon fragment (11). The latter variations are also performed (11) if lack of uniqueness amongst the data base is found at (10). This is then followed by reformatting (12), recording new GC clamp positions, etc., and re-running the melting profiles with variation of start/end positions, etc., as required (13). A determination of substantially the same annealing temperature for the primers, as required for PCR sequencing, is then made (14), with variations as at (11) effected if the primer temperatures are not substantially matched. The melting temperatures are then calculated from the percentages of urea formamide by the formula (15), enabling the making of a melting temperature versus number of basepairs for all exons complete (16). Should the present exon of interest be located too near any of the others, the variations of step (11) are employed to provide greater separation. If,

however, there is no crowding, a table entry for the exon, including its number, GC clamp location, primer letter code and total length of letter code, and melting temperatures Tm are all recorded (17).

If there are more exons (18), the beginning step 3, Fig. 6A, and subsequent steps are repeated; otherwise, the procedure for exon primer determination is completed (19).

Operation in Accordance With The Invention

The computer-aided software-controlled microprocessor programming that underlies the semi-automatic or automatic exon primer determination procedure of the present invention, greatly speeds this design process, and with much more facility and flexibility.

A semi-automatic version is shown in the microprocessor software implemented Flow Chart of Figs. 7A and 7B, later described, controlling the computer display screen of Figs. 9 to 14. The screen display format, as shown in Fig. 9, provides boxes or icons, such as "window" displays, an automatic plotting or graphing display region for simulated trial melting temperature profiles over all the gene fragments, and an automatically presented simulated 2-D gene fragment spot distribution presentation (2-D) of the type attainable by actual 2-D electrophoretic separation, as described in the said Vijg papers.

Description Of Display Screen

In the lower right of the screen is the 2-D pattern-distribution display area, labeled "Migration Ch," in which the melting temperature (in %UF) of the fragments is plotted as a function of the size of the fragments. The purpose of this migration chart/pattern is to

insure that no two fragments will occupy the same place in the pattern, and thus mutations
in all of the fragments will be detectable.

Above the Migration Ch area, under the title "Gene View", there is presented the
window for displaying the sequence of the entire gene. The user can load the gene
sequence into the program so that it is later possible to scroll through the gene in this
window to locate the exons, as in capital letters, and the introns as in lower case letters.
The Gene View makes it easy to locate the beginning and end of the exons and indicates
to the user the total length of the fragment (i.e. exon, gaps, primers, and GC clamp).

On the left-hand lower and central portion of the screen, there is provided a
"melting temperature vs. base pair offset" mapping area; and between this mapping area
and the Migration Ch area, there is a tabular column space in which the individual melting
temperatures Tm of each base pair is printed and scrollable.

In the upper center, boxes for indicating the selected number and fragment and the
"exon length" are provided, defining the selected exon/fragment. The number the user
enters here refers to the fragment for which the user is designing a test. Sometimes an
exon is too long to analyze in a single fragment and thus must be divided into different
fragments. For example, if exon 3 of a given gene needed to be divided into three
fragments, the user would number the fragments 3.1, 3.2, and 3.3. These numbers would
read exon 3 fragment 1, exon 3 fragment 2, and exon 3 fragment 3. To the left and right of
this box, are windows or boxes labeled "gap", which are the boxes that tell the user the
length of the gap between the end of the primer and the exon sequence. The box to the
left indicates the gap between the end of the leading primer and the beginning of the exon,

while the box to the right indicates the gap between the end of the exon and the beginning of the trailing primer sequence.

To the left and right of the gap-length boxes, are boxes labeled "leading primer" and "trailing primer", respectively. The numbers here represent the length of the primers, usually between 18 and 25 base pairs in length, as before described.

On the left and right of the primer boxes, there are also provided left and right boxes labeled "GC Clamp". The user can click on these boxes to select whether to place the GC clamp on the leading or trailing primer. Beneath the GC clamp box is the word "type", referring to the type of GC clamp that best suits a given fragment. The numbers 1, 2 and 3 are assigned to correspond to the earlier-described illustrative 30, 35 and 38 basepair clamps.

Below the primer boxes, are boxes "anl" for indicating the Tm of the primer sequences, which are referred to as the annealing temperatures of the primers. This function is especially useful in designing the before-described multiplex tests in which the annealing temperatures of the primers of the different fragments should optimally be within a few degrees of each other, as earlier stated.

Directly under these "anl" boxes, in turn, further boxes are provided in which the words "unique" or "not unique" appear. This refers to whether or not the given primer sequence occurs somewhere else in the gene. The function of this is to ensure that each amplicon has a set of primers which do not share sequence homology with any other 18-25bp sequence, so that only the desired fragments will be amplified.

The box that reads "Melt" at the top line of the display, when selected, commands the computer to calculate the Tm and construct a melting map of the fragment for the trial parameters which the user has indicated (primer lengths, etc.), Figs. 10-12. If the melting map is optimal, as in Fig. 12, and the fragment occupies a unique location on the 2-D migration map, the user clicks on the box marked "Save Primers" at the top-line right. This will save all of the information concerning a given fragment; i.e. length of primers, gap length, GC clamp type and location. The information will be saved under whichever heading the user selected in the box designated the exon "fragment".

The box Reset Primers will reset the computer to the standard conditions of, for example, a 30 bp gap length and 18 bp primer length with no GC clamp.

"Restore Primers" recalls saved information concerning a given primer. The user types the exon fragment information in the exon fragment box and clicks on the Restore Primer box. If the user types in 3.2, for example, the computer will recall the primer positions, gap lengths, GC clamp location and type of exon 3, fragment 2.

Semi-Automatic Operation

Returning, now, to the semi-automatic version of operation in accordance with the invention, the operator inputs or controls, by a conventional "mouse" or the like, the sequencing of the program. The general procedure for the computer-aided design of optimized genetic screening tests based on such PCR/2-D electrophoresis (and including multiplex operation, as before discussed) is as follows:

Database

Preliminary

1.   Retrieve the gene sequence code (e.g., from Genbank). While the gene sequence code
is a four-letter code (that is, a particular combination of A's, T's, C's and G's), the
complete code that specifies a gene can be as long as 100,000 letters. Only small parts,
however, each not more than 100-600 letters long, are considered important for making
the test. These parts are the exons, and indications are given as to where they start and
where they end in the total letter code. Small parts before and after each exon (splice
sites) are also included as well as so-called regulatory regions close to the actual gene or
some distance apart.

2.   Find the exons in the letter code or specify other target fragments.

3.   Position primers so as to surround the exons. Such primers, as before explained,
are small parts of the letter code, i.e., about 20 letters, that define the boundaries of the
exons to be tested. Primers should be completely outside the exon, from 5 letters outside
it up to 100 letters outside.

Where required, as previously explained, it is allowed to split exons in two; that is,
position four primers rather than two, so as to define an exon by two fragments rather
than one (for very large exons even more fragments are allowed). In such case, however,
the fragments must necessarily overlap by about 10 letters so as to assure that the exon is
completely covered. At least one of the two primers defining a fragment should be
coupled to a GC-clamp.

Melting Criterion

4.   Run each fragment defined by its primers on a conventional melting profile generating program such as the before-mentioned Melt87 (or a derivative) program so as to generate melting curves. Each fragment starts with the first letter of its left primer and ends with the last letter of its right primer; so it includes the GC-clamp. Ideally, each melting curve, as previously explained, should consist of one high-melting domain (the GC-clamp) and one low-melting domain (the exon or part of it); and when this is not the case, the program should try other primer positions and/or split exons in half, and/or change the size of the GC-clamp, and/or add two, instead of one GC-clamp.

PCR conditions

5.   Compare the annealing temperature of the selected primers. They should be almost the same (at least the primers of one pair). The annealing temperatures of primers can be determined by using the conventional PCR-design program.

6.   Compare the primer letter codes among each other and with the total letter code of the gene, so as to avoid overlap with any other than the defined fragments.

Two-Dimensional Distribution

7.   Distribute the fragments defined by their primers over two dimensions; one dimension being the size (say, left to right) and the other dimension being the melting temperature (say, top to bottom) of the fragment. Avoid clustering, though some is unavoidable. The easiest way to separate clustered fragments is to change their size, which can be done by changing the position of the primers and/or changing the size of the GC-clamp (a 5-10-letter change is usually enough to separate fragments of the same size).

Select a gradient of increasing melting temperature so as to allow an optimal spread of the fragments from top to bottom of the gel.

RBI Example

As a first example, the above steps will now be schematically translated into the scheme, programmed under "Windows", for the before-mentioned tumor-suppresser gene RBI, a large gene, and with a test design that requires extensive optimization. Like many other genes, the sequence of this gene is available in Genbank from which it may be retrieved and copied into a file to be subjected to the procedure representing the invention. First, the start and endpoints of the exons or coding sequences of this gene are indicated by typing in the respective sequences until the program indicates uniqueness on the display. Then, the system starts by assuming 18-mer primer, gaps between primers, and exons of 30 bp and a defined GC-clamp of 30 bp long. A melting profile of this configuration as well as the PCR annealing temperatures of the primers is automatically obtained. Either by observation of the screen or automatic monitoring; a decision is taken about the suitability of the melting curve. If not entirely satisfactory, one or more of the following parameters are varied: gap-size, primer-size, GC-clamp, until a satisfactory profile and set of annealing temperatures is obtained. If this proves to be impossible, the fragment is split in two or more fragments until optimal melting behavior is attained.

Referring more specifically to the previously mentioned Flow Chart of Figs. 7A and 7B, the illustrative RB gene is located (21) and file copied (22). The primer window, Fig. 9, is activated (23), injecting a trial primer letter sequence. The trial GC sequence is modified at (26), if required. Automatic monitoring can cause variation of the primer start

and end positions as required (28, 29) and doing so while monitoring uniqueness (30),

melting temperature mapping, and display separation at Migration Ch. Fig. 9.

If proper trial values are available, the melting profile generation is checked (32),

and the graph viewed (33) to insure a satisfactory single domain over the gene fragments.

If there are no more exons (34), the resulting primer table for all exons, including their

exon numbers, GC clamp locations, proper letter codes, total length of letter code, and

Tm values are reported by print-out (35), completing the test design (36).

In the event, however, that a warning is highlighted (31) of any of non-unique

starting and/or trailing primers, primer annealing temperatures, or spot migration

crowding or overlap, and/or in the event more exons are present (34), repetition of

variation of exon numbers (24) and GC clamp sequences (26) is effected to provide proper

values or conditions.

Automatic Version

For fully automatic test design where the setting of trial values is effected by

known types of feedback control in response to deviation from rules for a standard single

domain melting profile, for example, predisposed exons are imported in the file header

when enabled (42), Fig. 8A, after automatic features (40) and the gene file (41) have been

established. As previously discussed, fragments less than, say, 500 long are selected (43),

and short close exons are combined (44). If desired, optimum break points on the melting

curve of the entire gene may be located and/or unique lengths of fragments selected. Trial

primers are then inputted for all exons (45) which, from experience, preferably start, for

example, with each equal to 18 base pairs long, and with 30 base pair lengths for split

ends. The annealing temperatures are then plotted (46) with selection (47) of the highest

values, and the increase of all other primer lengths to achieve substantially the same

annealing temperature (48). As before described, the primer lengths are adjusted (49),

Fig. 8B, for uniqueness, consistent with substantially common annealing temperatures --

say, for example, within 5°C of one another.

Starting with a first exon fragment (50), a pre-set number (such as six) trial melting

graphs are run for three types of trial GC clamps (51), and the closest fit to the desired

standard single domain profile shape (52) is selected (53), with the fit being measured, for

example, by one of RMs or sigma deviation from a rectangle. If the profile design rules

are not met, an error flag is raised or highlighted. For additional exons (53), steps (51)

and (52) are repeated. If the exons meet minimum display spread migration rules at

migration Ch, Fig. 9, the design is complete (57). If, however, any exons violate minimum

display spread migration rules (54), it is determined whether another melting profile can be

selected to meet the required domain and spot migration spread rules (55); and, if not,

different GC clamp lengths are tried or an error flag again raised (56).

P. 53 Gene Example

In the successive displays of Figs. 10-14, another example is presented of the

carrying out of the procedures of the invention for another impairment gene- -the P53

gene.

Starting with a number 5, fragment 1, Fig. 10, for a gene sequence ttcccatcaag

ccctaggggctcct ("gene view" box), trial values of exon length 184, gaps 30 leading and

trailing primer lengths 18, and annealing temperature of 67.3, and no GC clamp, the multi-

domain unsatisfactory melting temperature profile was produced at the lower left. Adding

a right-hand GC clamp of 30, Fig. 11A, did not adequately improve the melting profile.

Substituting a 30 GC clamp at the left provided some improvement in reducing the

multiple domain excursions, Fig. 11B. Reducing the gap length to 10, Fig. 12, however,

provided a satisfactory flat domain following the GC clamp left-hand peak.

As before described, tables of primer sequences are displayable with predicted

average melting temperature as an expanded View Primer Table, Fig. 13; and the design-

predicted resulting 2-D electrophoretic fragment spot "Migration Ch" chart may be

displayed and enlarged as in Fig. 14.

Other arrangements of display boxes and presentations are, of course, possible

with the same general underlying software programming concepts and methodology of the

invention, and further modifications will occur to those skilled in this art, such being

considered to fall within the spirit and scope of the invention as defined in the appended

claims.

What is claimed is:

1.   A computer-assisted method for generating the design of optimized and
comprehensive genetic DNA diagnostic tests based on PCR/2-D electrophoresis for
screening mutations in genes, that comprises, inputting a computer microprocessor with a
desired exon fragment ATGC letter sequence; programming and controlling the
microprocessor first to select a trial start and end of the sequence; then, selecting and
positioning trial primer letter pairs to define the opposite boundaries of the exons to be
tested; adding a trial GC clamp to at least one primer; generating trial melting profiles for
the trial primers and GC clamp to determine whether the profile consists of a relatively
high-melting GC clamp peak and a substantially single flat domain of relatively low-
melting value for the fragments; in the event that the trial profile has multiple and not a
satisfactory single flat domain, selecting one or both of other trial primer sequences and
GC clamp sizes and generating said profiles therefrom until such a satisfactory single flat
domain is attained, and for primers of each pair having substantially similar annealing
temperatures suitable for PCR annealing; comparing the primer letter sequences with other
known gene sequences in the context of the total letter sequence of the gene exon to
insure the uniqueness of the sequences and to avoid overlap with any other than the
selected gene fragments; simulating a 2-D distribution of the fragments defined by the

primer pairs by separation along one dimension by size and along an orthogonal dimension
by melting temperature of the fragment; selecting a gradient of increasing melting
temperatures along the orthogonal dimension to allow an optimal spread of the fragments
therealong: and reporting the selected primer sets and temperature gradient, thereby
providing an optimal design for an actual PCR/2-D electrophoresis test.

2.   A method as claimed in claim 1 and in which, in the event of indicated clustering of
the fragments along the one dimension, changing their size by changing the position of the
primers and/or changing the size of the GC clamp to separate fragments of similar size.

3.   A method as claimed in claim 1 and in which the sequence of the gene is obtained
from a data base such as Genbank and is copied into a file for use in carrying out said
method.

4.   A method as claimed in claim 1 and in which, if a trial melting profile is obtained
that does not have a satisfactory single domain, varying one or more of primer size, gap
size between exons, and GC clamp size until a satisfactory profile and set of annealing
temperatures is obtained.

5.   A method as claimed in claim 4 and in which the varying of the size of the GC
clamping size is effected by using two instead of one GC clamp.

6.   A method as claimed in claim 1 and in which the annealing temperatures of the
primers are determined by a PCR-design program.

7.   A method as claimed in claim 1 and in which, if a satisfactory melting profile is not
obtained, the exon fragment sequence is split into parts.

8.   A method as claimed in claim 7 and in which the exon fragment sequence is split in two with two pairs of primers so as to define the exon by two fragments with some letter overlap so as to assure that the exon is completely covered.

9.   A method as claimed in claim 1 and in which the primer pair letter sequences that define the boundaries of the exons to be tested are positioned outside the exon letter sequences and are small compared with the exon letter sequences.

10.   A method as claimed in claim 9 and in which the primer letter sequences are of the order of about 20 letters.

11.   A method as claimed in claim 9 and in which the primers are positioned from about 5 to up to about 100 letters outside the exon letter sequences.

12.   A method as claimed in claim 1 and in which the melting profile is displayed to a monitoring operator on a computer display screen. and the selecting of each of start and end of the exon fragment letter sequences, primer pair letter sequences and GC clamp are manually entered by the operator and displayed on the screen.

13.   A method as claimed in claim 1 and in which the characteristics of the melting profile are automatically monitored, and start end letter sequence, primer pair letter sequence and GC clamp are automatically varied as required until a predetermined satisfactory single domain melting profile is attained.

14.   A method as claimed in claim 1 and in which the fragment distribution is displayed on a computer display screen.

15.   A method as claimed in claim 14 and in which, upon an operator monitoring the fragment distribution display screen and noting undue fragment clustering, the operator enters variations in one or more of the position of the primers and the size of the GC clamp to separate the fragments and to display the changes on the screen.

16.   A method as claimed in claim 14 and in which the fragment distribution is automatically monitored, and upon detection of undue fragment clustering, varying one or more of the position of the primers and the size of the GC clamp to separate the fragments.

17.   A method as claimed in claim 1 and in which the temperature gradient distribution is displayed upon a computer display screen.

18.   A method as claimed in claim 1 and in which an actual PCR/2-D electrophoresis is carried out with an actual gene corresponding to said desired gene using the reported primer sets and temperature gradient.

19.   A method as claimed in claim 18 and in which the actual PCR operation is carried out after adding primer pairs to successive groups of the gene exons by effecting long-distance PCR amplifications thereof in a common tube or vessel to achieve relatively long resulting amplicons; then adding further primer pairs to each of the gene exons and effecting multiplex PCR amplifications thereof in the common tube or vessel with relatively short resulting amplicons; and then 2-D electrophoretically separating the gene fragments.

20.   A method as claimed in claim 1 and in which the reporting comprises visual display upon a computer display screen, under the control of the programmed microprocessor, of:

a) the simulated profiles of the melting temperature for the gene fragments;

b) 2-D maps of the simulated melted fragments;

c) a table of the primer sequences;

d) readout of the annealing temperatures of the primers;

e) verification of the uniqueness of the primer-gene sequences; and

f) continuous display of the gene sequence during the whole procedure.

21.   A method as claimed in claim 20 and in which the melting temperature is presented as a percentage of urea-formamide.

22.   A computer-assisted method for generating the design of optimized and comprehensive genetic DNA diagnostic tests based on PCR/2-D electrophoresis for screening mutations in genes, that comprises, programming and operating a computer microprocessor to input a desired gene exon fragment ATCG letter sequence; indicating the start and end of the desired sequence; generating simulated optimal conditions for PCR primer annealing sequences; generating an optimal electrophoresis 2-D fragment separation simulation including a simulated melting profile by varying trial fragment sequence size, GC clamp sequence size and primer sequence size to achieve a single domain profile of relatively low melting temperature for the gene fragments, clamped by a relatively high melting temperature sequence; and reporting the selected primer sets for being synthesized.

23.   A method as claimed in claim 22 and in which the reporting comprises displaying said primer and GC clamp sequences, melting temperature values and 2-D fragment size and melting temperature profile distribution on a computer display screen.

24.   A method as claimed in claim 23 and in which the sequences and said values are

displayed in window or box type displays..

25.   A method as claimed in claim 23 and in which the letter size variations are effected

by an operator viewing the trial values in window or box type displays on the display

screen.

26.   A method as claimed in claim 22 and in which the said varying is effected

automatically in response to pre-set melting profile characteristics.

27.   A method as claimed in claim 22 and in which the variations are effected in

accordance with the steps of the Flow Charts herein.

28.   Computer-aiding apparatus for generating the design of optimized and

comprehensive genetic DNA diagnostic tests based on PCR/2-D electrophoresis for

screening mutations in genes, having, in combination, a computer microprocessor being

software-programmed to effect the steps of method claim 20.

29.   Computer-aiding apparatus as claimed in claim 28 and in which the steps of the

programming include those of method claim 1.

FIG. 1

FIG. 2

FIG. 3

FIG. 4

FIG. 5

FIG. 6A

BEGIN

1 — LOCATE GENE FILE BY OPENING NENTREZ. SELECT DATA BASE NUCLEOTIDE. SEARCH FOR GENE, e.g. RETINOBLASTOMA—LOCATE RBG GENETIC FILE L11910.

2 — FIND NUMBER OF EXONS. START WITH EXON 1

3 — LOOKUP BEGINNING & END LOCATION OF EXON, IS NUMBER OF BASE PAIRS > 500?

NO

YES

4 — BREAK INTO SMALLER SECTIONS LESS THAN 500 LETTERS, ENDS MUST OVERLAP BY AT LEAST 30.

5 — INCREASE LENGTH OF EXON STRING BY AT LEAST 18 ON EACH END TO CREATE THE PRIMER.

6 — USING WORD PERFECT, OPEN GENE FILE. SELECT AND COPY THE BRACKETED EXON DATA. OPEN A NEW EXON CODE FILE. PASTE IN THE COPIED DATA. ADD A GC CLAMP ON HEADER AND TRAILER. RECORD BEGINNING AND END POSITION OF EACH GC CLAMP. STRIP OFF THE LOCATION HEADER FROM EACH LINE. REORDER TO LEAVE 6 GROUPS OF ATCG DATA SEPARATED BY 1 SPACE PER LINE. SAVE NEW EXON FILE.

7 — RUN MELT95.EXE SIX TIMES WITH DIFFERENT START—STOP POSITIONS. 3 WITH THE 3 TYPES OF GC CLAMPS ON THE LEADING PRIMER, AND 3 WITH THE 3 CLAMPS ON THE TRAILING PRIMER. USE TSTART=60, TDELTA=2, STEPS=200, FORMAT='(6(10 a .1X))'

5/17

FIG. 6B

GENERATE THE 6 GRAPHS BY IMPORTING THE 5mm MELT FILES INTO SLIDEWRITE. LIMIT Y AXIS TO 60-100(TEMPERATURE) AND LABEL "T m". LIMIT X AXIS TO HIGHEST POSITION NUMBER AND LABEL "BASEPAIRS". ADD TITLE WITH GENE, EXON #, AND CLAMP. REMOVE TOP LEGEND TO PRINT PROPERLY — 8

DOES A GC CLAMP GRAPH HAVE A SINGLE LOW MELTING DOMAIN (FLAT WITHIN 1 DEG C)? — 9

NO — 11

USE WORD PERFECT TO CHANGE THE PRIMER LENGTH OR CHANGE GC CLAMP SIZE, OR ADD TWO GC CLAMPS, OR SPLIT THE EXON FRAGMENT.

REFORMAT THE 6 COLUMNS, RECORD NEW GC CLAMP POSITION(S) AND END PRIMER POSITION. — 12

RERUN MELT95, VARY THE START/END POSITIONS AS REQUIRED

RERUN SLIDEWRITE. — 13

YES

USING WWW ON MOSAIC, CONNECT TO NIH, DO BLAST SEARCH ON BOTH PRIMERS IN THE HOMO SAPIEN GENE. ARE THEY UNIQUE? — 10

NO

YES

DONE — 19

USE PCR SEQUENCE EVALUATOR. DOES THE PRIMER (WITHOUT GC CLAMP) HAVE SAME ANNEALING TEMPERATURE (INCREASING PRIMER LENGTH WILL INCREASE TEMPERATURE) AS ALL THE OTHER EXON PRIMERS? — 14

NO

YES

CALCULATE %UF=(T melt -57)⁰3.2 — 15

MAKE A GRAPH OF %UF VS NUMBER OF BASE PAIRS FOR ALL EXONS COMPLETED SO FAR, IS THE PRESENT EXON LOCATED NEAR ANY OF THE OTHERS? — 16

YES

NO

MAKE A TABLE ENTRY FOR THE EXON INCLUDING EXON #, GC CLAMP LOCATION, PRIMER LETTER CODE, TOTAL LENGTH OF LETTER CODE. T m (%UF). — 17

ANY MORE EXONS? — 18

YES

NO

FIG. 7A

BEGIN

LOCATE GENE FILE BY OPENING NENTREZ, SELECT DATA BASE
NUCLEOTIDE, SEARCH FOR GENE, e.g. RETINOBLASTOMA-
LOCATE RB GENETIC FILE L11910.   21

COPY THE FILE TO GENE.BXT   22

CLICK ON 'PRIMER' ICON TO RUN NEW 'PRIMER' PROGRAM   23

MODIFY DESIRED EXON NUMBER, MODIFY DESIRED EXON
STARTING POSITION NUMBER IF DESIRED.   24

MODIFY DESIRED EXON ENDING POSITION NUMBER IF DESIRED.   25

MODIFY GC CLAMP SEQUENCE IF DESIRED.   26

CLICK ON 'AUTOMATIC' TO AUTOMATICALLY DETERMINE PRIMERS
IF DESIRED.
NOTE: THIS IS IMPLIMENTED IN FIGS. 3A AND 3B.   27

7/17

MODIFY DESIRED STARTING PRIMER STARTING POSITION NUMBER. — 28

MODIFY DESIRED ENDING PRIMER ENDING POSITION NUMBER. — 29

CLICK ON 'CHECK UNIQUENESS, MELT TEMPS, MIGRATION SPREAD — 30

ARE ANY OF THE FOLLOWING WARNINGS HIGHLIGHTED? NON–UNIQUE STARTING PRIMER, NON–UNIQUE TRAILING PRIMER, PRIMER ANNEALING TEMPERATURES ARE DIFFERENT (CAN VIEW TEMPERATURES), MIGRATION OVERLAP (CAN CHECK MIGRATION CHART)? — 31

YES

NO

CLICK ON 'RUN MELTING PROFILE'. — 32

VIEW GRAPH, VIEW TEMPERATURE LIST, DOMAIN OK? — 33   NO

YES

YES   ANY MORE EXONS? — 34

NO

PRINT PRIMER TABLE FOR ALL EXONS INCLUDING EXON #, GC CLAMP LOCATION, PRIMER LETTER CODE, TOTAL LENGTH OF LETTER CODE, Tm (%UF). — 35

FIG. 7B

DONE — 36

FIG. 8A

BEGIN

READ WHICH AUTOMATIC FEATURES ARE ENABLED. — 40

IMPORT NEW GENE FILE IF ENABLED. — 41

USE PREDEFINED EXONS IN IMPORTED FILE HEADER IF ENABLED. — 42

SPLIT EXONS INTO FRAGMENTS LESS THAN 500 LONG, MAY WANT TO DO MELT CURVE ON ENTIRE EXON TO TRY TO FIND OPTIMUM BREAK POINTS, (MAY ALSO WANT TO BREAK THEM INTO UNIQUE LENGTHS). — 43

COMBINE SHORT CLOSE EXONS TOGETHER. — 44

CREATE PRIMERS FOR ALL EXONS, START WITH EACH EQUAL TO 18 BASE PAIRS LONG, EXCEPT ON SPLIT ENDS START WITH 30. — 45

PLOT THE ANNEALING TEMPERATURES. MAY HAVE TO MULTIPLEX(USE TWO OR MORE ANNEALING TEMPERATURES), ESPECIALLY IF SPLITTING FRAGMENTS. — 46

CHOOSE A TARGET ANNEALING TEMPERATURE THAT IS THE HIGHEST ANNEALING TEMPERATURE OF ALL PRIMERS. — 47

INCREASE LENGTH OF ALL OTHER PRIMERS TO HAVE SAME ANNEALING TEMPERATURE. — 48

ADJUST PRIMER LENGTH SO IT IS UNIQUE AND STILL WITHIN 5 DEG C OF TARGET ANNEALING TEMPERATURE — 49

START WITH EXON 1 FRAGMENT 1, OR WHICH EVER EXON IS ENABLED. — 50

GENERATE 6 MELTING GRAPHS (THREE TYPES OF GC CLAMPS TRIED ON BOTH LEADING AND TRAILING ENDS OF EXON PRIMERS). — 51

CHOOSE BEST ONE BY ASSIGNING A FIT MERIT RATING TO ALL GRAPHS (RMS OR SIGMA DEVIATION FROM A RECTANGLE), RAISE AN ERROR FLAG IF MELTING DOMAINE DOES NOT MEET ALL RULES. — 52

YES ◄── ANY MORE EXONS? — 53

NO

NO ◄── DO ANY EXONS VIOLATE MINIMUM SPREAD MIGRATION RULES? — 54

YES

YES ◄── CAN ANOTHER MELTING GRAPH BE SELECTED FROM THE MERIT RATINGS THAT MEETS ALL MELT DOMAINE AND MIGRATION SPREAD RULES? — 55

NO

DONE — 57

TRY A DIFFERENT GC CLAMP LENGTH OR RAISE AN ERROR FLAG AND SPLIT THE FRAGMENT AGAIN IF ENABLED. — 56

FIG. 8B

FIG. 9

FIG. 10

File Print View Tools Windows Help

Exon

[Anneal] [Melt] [Reset Primers] [Restore Primers] [Save Primers]

number [5] fragment [1]

Primer Arrangement

leading primer

gc clamp

length [18] length

[0] type

[61.4] anl

unique

gap

[30] length

[1] anl

exon

[184] length

start [13055] end pos [13238] length

tot [280]

trailing primer

gc clamp

length [18] length

[0] type

[67.3] anl temp

unique

gap

[30] length

[61.1545] avg temp

Gene View   [–][□][X]

ttcccatcaa gccctagggc tcct

Left window   [1]

Migration Ch...   [–][□][X]

100
90
80
70
60
50
40
30
20
10
0

100 200 300 400 500

Melting Temperature vs Base Pair Offset   [–][□][X]

[Print Melt Graph] [Print Melt List]

Base Pair Offset [73.66]

Temp
86 76.97
87 77.00
88 77.06
89 77.18
90 77.40
91 77.55
92 77.62
93 77.67
94 77.76
95 77.96
96 77.99
97 78.01
98 78.02
99 78.05
100 78.11
101 78.14
102 78.22

100
90
80
70
60

0 50 100 150 200 250 300

FIG. 11A

File   Print   View   Tools   Windows   Help

Exon

number [5]   fragment [1]   [Anneal] [Melt] [Reset Primers] [Restore Primers] [Save Primers]

Primer Arrangement

leading primer

trailing primer

gc clamp
length
[0] type

gc clamp
length
[1] type

18 length
61.4 anl
unique

18 length
67.3 anl temp
unique

gap
30 length
anl [1]

gap
30 length
61.1545 avg temp

exon
184 length
13238 end pos
13055 start
310 length
tot

Melting Temperature vs Base Pair Offset

[Print Melt Graph] [Print Melt List]   74.96

Gene View [-][□][X]

ttccatcaa gccctaggc tcct

Left window

Migration Ch... [-][□][X]

Temp
1 0.00
2 68.84
3 70.79
4 71.94
5 72.13
6 72.31
7 72.52
8 72.76
9 72.82
10 72.91
11 72.92
12 72.93
13 72.93
14 72.93
15 72.94
16 72.94
17 72.94

FIG. 11B

FIG. 12

FIG. 13

FIG. 14

FIG. 15

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6   C12Q1/68   G06F19/00

According to International Patent Classification(IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6   C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
A	ORSOUW VAN N J ET AL: "MUTATIONAL SCANNING OF LARGE GENES BY EXTENSIVE PCR MULTIPLEXING AND TWO-DIMENSIONAL ELECTROPHORESIS: APPLICATION TO THE RB1 GENE" HUMAN MOLECULAR GENETICS, vol. 5, no. 6, June 1996, pages 755-761, XP000604770 see the whole document ---	1-24
A	LI D ET AL: "MULTIPLEX CO-AMPLIFICATION OF 24 RETINOBLASTOMA GENE EXONS AFTER PRE-AMPLIFICATION BY LONG-DISTANCE PCR" NUCLEIC ACIDS RESEARCH, vol. 24, no. 3, 1 February 1996, page 538/539 XP002014622 see the whole document --- -/--	1-24

[X] Further documents are listed in the continuation of box C.

[X] Patent family members are listed in annex

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
19 December 1997	13/01/1998

Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl Fax: (+31-70) 340-3016	Osborne, H

Form PCT/ISA/210 (second sheet) (July 1992)

2

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication,where appropriate ,of the relevant passages	Relevant to claim No
A	VIJG J: "TWO-DIMENSIONAL DNA TYPING A COST-EFFECTIVE WAY OF ANALYZING COMPLEX MIXTURES OF DNA FRAGMENTS FOR SEQUENCE VARIATIONS" MOLECULAR BIOTECHNOLOGY, vol. 4, no. 3, December 1995, pages 275-295, XP000603412 see the whole document ---	1-24
A	WO 94 11837 A (HITACHI CHEMICAL CO LTD ;MITSUHASHI MASATO (US); COOPER ALLAN (US)) 26 May 1994 see the whole document ---	1
A	WU D ET AL: "The effect of temperature and oligonucleotide primer length on the specificity and effeciency of amplification by the polymerase chain reaction" DNA AND CELL BIOLOGY, vol. 10, no. 3, 1991, pages 233-38, XP000444410 see the whole document -----	1

2